

IPO5 Polyclonal Antibody

Cat No: HR1AP10860

For research use only

Overview

| | |
|-----------------------|---|
| Product Name | IPO5 Polyclonal Antibody |
| Source | Rabbit |
| Applications | WB,ELISA |
| Species Reactivity | Human,Mouse |
| Recommended Dilutions | |
| Immunogen | |
| Species | Rabbit |
| Storage | -20°C/1 year |
| Isotype | |
| Clonality | |
| Concentration | 1 mg/ml |
| Observed band | 120kDa |
| GeneID?Human? | IPO5 KPNB3 RANBP5 |
| Human Swiss-Prot No. | |
| Cellular localization | |
| Alternative Names | |
| Background | <p>importin 5(IPO5) Homo sapiens Nucleocytoplasmic transport, a signal- and energy-dependent process, takes place through nuclear pore complexes embedded in the nuclear envelope. The import of proteins containing a nuclear localization signal (NLS) requires the NLS import receptor, a heterodimer of importin alpha and beta subunits also known as karyopherins. Importin alpha binds the NLS-containing cargo in the cytoplasm and importin beta docks the complex at the cytoplasmic side of the nuclear pore complex. In the presence of nucleoside triphosphates and the small GTP binding protein Ran, the complex moves into the nuclear pore complex and the importin subunits dissociate. Importin alpha enters the nucleoplasm with its passenger protein and importin beta remains at the pore. Interactions between importin beta and the FG repeats of nucleoporins are essential in translocation through the pore complex. The protein encoded by this gene is a me</p> |