

# Flk-1/Flt-4 (phospho Tyr1054/Y1063) Polyclonal Antibody

Cat No: HR1AP7130

For research use only

## Overview

|                       |   |
|-----------------------|---|
| Product Name          | Flk-1/Flt-4 (phospho Tyr1054/Y1063) Polyclonal Antibody   |
| Source                | Rabbit  |
| Applications          | IHC-p,ELISA   |
| Species Reactivity    | Human,Mouse,Rat   |
| Recommended Dilutions |   |
| Immunogen             |   |
| Species               | Rabbit  |
| Storage               | -20°C/1 year  |
| Isotype               |   |
| Clonality             |   |
| Concentration         | 1 mg/ml   |
| Observed band         | kDa   |
| GeneID?Human?         | KDR/FLT4  |
| Human Swiss-Prot No.  |   |
| Cellular localization |   |
| Alternative Names     | KDR; FLK1; VEGFR2; Vascular endothelial growth factor receptor 2; VEGFR-2; Fetal liver kinase 1; FLK-1; Kinase insert domain receptor; KDR; Protein-tyrosine kinase receptor flk-1; CD antigen CD309; FL  |
| Background            | kinase insert domain receptor(KDR) Homo sapiens Vascular endothelial growth factor (VEGF) is a major growth factor for endothelial cells. This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main mediator of VEGF-induced endothelial proliferation, survival, migration, tubular morphogenesis and sprouting. The signalling and trafficking of this receptor are regulated by multiple factors, including Rab GTPase, P2Y purine nucleotide receptor, integrin alphaVbeta3, T-cell protein tyrosine phosphatase, etc.. Mutations of this gene are implicated in infantile capillary hemangiomas. [provided by RefSeq, May 2009]. |