

MEK Kinase-4 Polyclonal Antibody

Cat No: HR1AP7341

For research use only

Overview

Product Name	MEK Kinase-4 Polyclonal Antibody
Source	Rabbit
Applications	IHC-p,ELISA
Species Reactivity	Human,Mouse
Recommended Dilutions	
Immunogen	
Species	Rabbit
Storage	-20°C/1 year
Isotype	
Clonality	
Concentration	1 mg/ml
Observed band	kDa
GeneID?Human?	MAP3K4
Human Swiss-Prot No.	
Cellular localization	
Alternative Names	MAP3K4; KIAA0213; MAPKKK4; MEKK4; MTK1; Mitogen-activated protein kinase kinase kinase 4; MAP three kinase 1; MAPK/ERK kinase kinase 4; MEK kinase 4; MEKK 4
Background	<p>mitogen-activated protein kinase kinase kinase 4(MAP3K4) Homo sapiens The central core of each mitogen-activated protein kinase (MAPK) pathway is a conserved cascade of 3 protein kinases: an activated MAPK kinase kinase (MAPKKK) phosphorylates and activates a specific MAPK kinase (MAPKK), which then activates a specific MAPK. While the ERK MAPKs are activated by mitogenic stimulation, the CSBP2 and JNK MAPKs are activated by environmental stresses such as osmotic shock, UV irradiation, wound stress, and inflammatory factors. This gene encodes a MAPKKK, the MEKK4 protein, also called MTK1. This protein contains a protein kinase catalytic domain at the C terminus. The N-terminal nonkinase domain may contain a regulatory domain. Expression of MEKK4 in mammalian cells activated the CSBP2 and JNK MAPK pathways, but not the ERK pathway. In vitro kinase studies indicated that recombinant MEKK4 can specifically phosphorylate and activate PRKMK6</p>